

Exhibit 117 Part 1

DEFENDANT'S EXHIBIT D-1794.4

M68503-026-Grid D2-0001 M68503-026 Grid E9 3173400










	111111111111111111111111111111111111111				**************************************	
Project/ Sample No.	M68503-026		Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 1	10/30/2018	C C in whereas	105	105	11025
Initial Weight(g)	0.021	09	G. O. in microns =	105	105	11025
Analysis Type	Post Separation	Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Exar	mined mm²		1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD	G9							
19	G10	Bundle	Tremolite	7.5	0.80	9.4	X	Х
NSD	E9-A1							Ī
20	A2	Bundle	Tremolite	3.9	0.60	6.5	X	X
21	A3	Bundle	Tremolite	4.1	0.60	6.8	X	X
NSD	A4	277 P. S.			1000000	10000	2000	
NSD	A5							
NSD	A6					2		
NSD	A7							
NSD	A8						9	
NSD	A9							
NSD	140						7	
NSD								
NSD								
NSD								- 8
NSD								
NSD								35
22		- 1						
NSD								
NSD								
NSD			TO THE REAL PROPERTY.					-
23				1				-
24								9
25								- 2
NSD								-
NSD			10000		W 650			
NSD								
NSD					• • • • •			
NSD NSD NSD					••••			
NSD NSD NSD NSD				•	••••			
NSD NSD NSD NSD 26			• • • • •	· · · · · ·				
NSD NSD NSD NSD 26 27		****	• • • • •	·····	••••			
NSD NSD NSD NSD 26 27 NSD		****	• • • • • • • • • • • • • • • • • • • •	·····				
NSD NSD NSD NSD 26 27			•	·····	****			
NSD NSD NSD 26 27 NSD NSD NSD NSD NSD		****	• • • • • • • • • • • • • • • • • • • •	·····	••••			
NSD NSD NSD 26 27 NSD NSD NSD NSD NSD NSD NSD NSD NSD NSD				о О	****			
NSD NSD NSD 26 27 NSD NSD NSD NSD NSD NSD NSD NSD NSD NSD		****		·····	••••			
NSD NSD NSD 26 27 NSD NSD NSD NSD NSD NSD NSD NSD NSD NSD				····	****			
NSD NSD NSD NSD 26 27 NSD NSD NSD NSD NSD NSD NSD NSD NSD NSD		****		·····	••••			
NSD NSD NSD NSD 26 27 NSD NSD NSD NSD NSD NSD NSD NSD NSD NSD				·····	****			
NSD NSD NSD NSD 26 27 NSD NSD NSD NSD NSD NSD NSD NSD NSD NSD				·····	****			
NSD NSD NSD NSD 26 27 NSD NSD NSD NSD NSD NSD NSD NSD NSD NSD				· · · · · · · · · · · · · · · · · · ·	****			
NSD NSD NSD NSD NSD 26 27 NSD NSD NSD NSD NSD NSD NSD NSD NSD NSD				· · · · · · · · · · · · · · · · · · ·	****			
NSD NSD NSD NSD NSD NSD NSD NSD NSD NSD								
NSD					••••			
NSD	4759	MAR		Tremolite Diff		nem .	10/26/	2018
NSD	4759	M68	503-026-020	Tremolite Diff		ocm Ocm	10/26/	2018
NSD		M68		Tremolite Diff			10/26/	2018
NSD	4759 H4 H5	M68		Tremolite Diff		0cm	10/26/	2018



Grid Openin G9





Project/ Sample No.	M68503	-026	Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 1	0/30/2018	C C is whereas	105	105	11025
Initial Weight(g)	0.0210	09	G. O. in microns =	105	105	11025
Analysis Type	Post Separation	Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Exar	nined mm²		1.103


SAED

EDS


Str. #	Grid Opening	Structure	Туре	Length	Width	Ratio	SAED	EDS
NSD	G9							
19	G10	Bundle	Tremolite	7.5	0.80	9.4	X	X
NSD	E9-A1							
EO	7.00	Danaro	rromomo	0.0	0.00	0.0	74	
21	A3	Bundle	Tremolite	4.1	0.60	6.8	X	X
NOD	757	and the same of th			- 100000		10000	
NSD	A5							
NSD	A6							
NSD	A7							
NSD	A8							
NSD	A9							
NSD	***							
NSD								
NSD								
NSD								
NSD								
NSD								
22								
NSD								
NSD								
NSD								
23								
24								
25								
NSD					7			
NSD								
NSD					-			
NSD								
NSD						-		
26						-		
27								
27								
NSD								
NSD								
NSD NSD NSD								
NSD NSD NSD					1			
NSD NSD NSD NSD 28								
NSD NSD NSD NSD 28 NSD								
NSD NSD NSD NSD 28 NSD NSD								
NSD NSD NSD NSD 28 NSD NSD NSD								
NSD NSD NSD NSD 28 NSD NSD								
NSD NSD NSD NSD 28 NSD NSD NSD								
NSD NSD NSD NSD 28 NSD NSD NSD NSD								
NSD NSD NSD NSD 28 NSD NSD NSD NSD NSD NSD								
NSD NSD NSD NSD 28 NSD NSD NSD NSD NSD NSD NSD								
NSD NSD NSD NSD 28 NSD NSD NSD NSD NSD NSD NSD NSD	2 4764							10/29/2016


RJ Lee Group

MAS,LLC. Suwanee, GA 30024




NSD






Project/ Sample No.	M68503	-026	Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 1	0/30/2018	C O is where =	105	105	11025
Initial Weight(g)	0.02109		G. O. in microns =	105	105	11025
Analysis Type	Post Separation	Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Exar	nined mm²		1.103


	19	G10	Bundle	Tremolite	7.5	0.80	9.4	X	X	l
	NSD	E9-A1								1
	20	A2	Bundle	Tremolite	3.9	0.60	6.5	X	X	
	21	A3	Bundle	Tremolite	4.1	0.60	6.8	X	X	l
	NSD	A4	27000000				1300			
	NSD	A5								1
	NSD	A6	+							
	NSD	A7	1			_				l l
	NSD	A8	4			1				
	NSD	A9	4							
	NSD	A10	+		1	_			_	
	NSD	B1	+			_				
	NSD	B2	+	_		_	_	_	_	
	NSD	B3	+							
	NSD	B4	+	_		_		-	_	
	22	B6	Dunde	Tremolite	3.0	0.46	6.5			
			Bundle	Tremonte	3.0	0,46	0.0	X	X	
	NOD	BR BR	+	_		_				
	NSD	I AR							_	
	NSD									
	23								_	ļ.
	24								100	
	25								_	l
	NSD								120	
	NSD								_	l
	NSD								- 1	
	NSD									
	NSD								100	ŀ
	26									l
	27								10	1
	NSD									1
	NSD								100	
	NSD								-	1
	NSD									
	28					1 6			-	
	NSD								100	
	NSD								-	
	NSD			(4)					-	
	NSD								_	
	NSD			. ,					-	1
	NSD								-	
	NSD				18				-	
	NSD								-	1
	NSD								-	
	NSD								_	
	29								_	
									_	
	NSD								_	
	NSD								-	
89238	NSD									10000
MAS	S,LLC. S								2	of 3
		2 4767	1.44	8503-026-022	Tromolito	Differentian @	E0om	10/26/2	2018	
		2 4101	IVIC	00000-020-022	r remonte t	Jilliaction @	SUCIII	TOZON	2010	





Document 33017-27 PageID: 225856



















































































	100000000000000000000000000000000000000				**************************************	
Project/ Sample No.	M68503-026		Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 1	0/30/2018	C C in missesses =	105	105	11025
Initial Weight(g)	0.02109		G. O. in microns =	105	105	11025
Analysis Type	Post Separation	Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Exa	mined mm²		1.103


























Project/ Sample No.	M68503	-026	Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony Keeton			Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 1	10/30/2018	C C in whereas	105	105	11025
Initial Weight(g)	0.02109		G. O. in microns =	105	105	11025
Analysis Type	Post Separation	Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Exar	nined mm²		1.103

	Grid Opening	Structure	Туре	Length	Width	Ratio	SAED	EDS
Str. # NSD	G9		.,,,,,	E-trigur	74.0	110000		
19	G10	Bundle	Tremolite	7.5	0.80	9.4	X	X
NSD	E9-A1							
								X
								-
								×
						*		
		*						
								X
								X
					*			X
								X
								X
								X
								X
								X
								X
								X
2 4838		M68503-02	28-029 Tremol	ite Diffraction	n @ 50cm		10/30/2018	X X X X
NSD	D6	M68503-02	26-029 Tremol	ite Diffraction	n @ 50cm		10/30/2018	X X X X
NSD NSD	D6 D7	M68503-02	28-029 Tremol	ite Diffraction	n @ 50cm		10/30/2018	X X X X
NSD NSD	D6 D7 D8	M68503-02	26-029 Tremol	ite Diffraction	n @ 50cm		10/30/2018	X X X X
NSD NSD NSD	D6 D7 D8 D9	M68503-02	26-029 Tremol	ite Diffraction	n @ 50cm		10/30/2018	X X X X
NSD NSD NSD NSD NSD	D6 D7 D8 D9	M68503-02	26-029 Tremol	ite Diffraction	n @ 50cm		10/30/2018	X X X X
NSD NSD NSD NSD NSD NSD	D6 D7 D8 D9	M68503-02	26-029 Tremol	ite Diffraction	n @ 50cm		10/30/2018	X X X X
NSD NSD NSD NSD NSD NSD	D6 D7 D8 D9 D10 H1					6.6		X X X
NSD NSD NSD NSD NSD NSD	D6 D7 D8 D9	M68503-02	28-029 Tremol	ite Diffraction	n @ 50cm	6.6	10/30/2018	X X X X
NSD NSD NSD NSD NSD NSD	D6 D7 D8 D9 D10 H1					6.6		X X X










Project/ Sample No.	M68503	-026	Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony k	Geton		Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 1	0/30/2018	C C in missesses =	105	105	11025
Initial Weight(g)	0.021	09	G. O. in microns =	105	105	11025
Analysis Type	Post Separation	Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Exa	mined mm²		1.103


			Asbestos					
30	H7	Bundle	Tremolite	4.6	0.70	6.6	X	X
1100	110					-		
NSD	H9			20000000				
31	H10	Bundle	Tremolite	6.9	1.00	6.9	X	X






MAS,LLC. Suwanee, GA 30024 3 of 3









Project/ Sample No.	M68503	-026	Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony k	Geeton		Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 1	10/30/2018	C C is where a	105	105	11025
Initial Weight(g)	0.021	09	G. O. in microns =	105	105	11025
Analysis Type	Post Separation	Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Exar	mined mm²		1.103


Str.#	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
30	H7	Bundle	Tremolite	4.6	0.70	6.6	X	X
NSD	H8				00000	1000	7777	
		in a						all a
31	H10	Bundle	Tremolite	6.9	1.00	6.9	X	X





MAS,LLC. Suwanee, GA 30024 3 of 3




Document 33017-27 PageID: 225874













Project/	V-42015700	of projects	100000000000000000000000000000000000000	66335	No. of Grids	50000
Sample No.	M68503-026		Grid Box #	8632	Counted	2
Analyst:	Anthony F	(eeton		Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 1	10/30/2018	G. O. in microns =	105	105	11025
Initial Weight(g)	0.021	09	G. O. In microns -	105	105	11025
Analysis Type	Post Separation	Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Exa	mined mm²		1.103

Str. #	Grid Opening	Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
Nau	E IU-AT			l'			1	
1	A2	Bundle	Tremolite	7.1	0.40	17.8	X	×
NSD	A3						l	1
NSD	A4			7				
NSD	A5							
2	A6	Bundle	Tremolite	10.6	1.80	5.9	X	X
3	A7	Fiber	Tremolite	3.1	0.23	13.5	X	X
4		Bundle	Tremolite	7.6	0.80	9.5	X	X
5		Bundle	Tremolite	3.2	0.50	6.4	X	X
NSD	AB							
6	A9	Bundle	Tremolite	7.3	1.20	6.1	×	×
								X
								X X X X X X
2 4680		M68503-026-0	001 Tremolite I	Diffraction @	. 50cm		10/23/2018	X X X X X
2 4680	N	M68503-026-0	001 Tremolite I	Diffraction @	50cm		10/23/2018	X X X X X
		M68503-026-0	001 Tremolite I	Diffraction @	50cm		10/23/2018	X X X X X
2 4680 NSD NSD	06 97	M68503-026-0	001 Tremolite (Diffraction @	.50cm		10/23/2018	X X X X X




Document 33017-27 PageID: 225877






Project/ Sample No.	M68503	-026	Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony F	(eeton		Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 1	10/30/2018	G. O. in microns =	105	105	11025
Initial Weight(g)	0.021	09	G. O. In microns -	105	105	11025
Analysis Type	Post Separation	Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Exa	mined mm²		1.103

Str. i		Structure	Asbestos Type	Length	Width	Ratio	SAED	EDS
NSD								
1	A2	Bundle	Tremolite	7.1	0.40	17.8	X	X
NSD		_						-
NSD								
1100		D. and a	Towns Die	40.0	4.00			
2	A6	Bundle	Tremolite	10.6	1.80	5.9	X	X
4		Bundle	Tremolite	7.6	0.23	9.5	x	1 x
5		Bundle	Tremolite	3.2	0.50	6.4	x	x
NSE) A8	Dunicie	Tremonte	5.2	0.00	0.4		1
6	A9	Bundle	Tremolite	7.3	1.20	6.1	×	X
NSD		Dunaio	Tromonto	1.0	1.20	0.1		1 ^
NSD		_						_
9 10 11 NSE 12 NSE								
13 NSD 14 15 NSD								
13 NSD 14 15 NSD	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	M68	3503-026-002				10/2	3/2018
13 NSD 14 15 NSD	2 4683	M68					10/2	3/2018







Project/ Sample No.	M68503	-026	Grid Box #	8632	No. of Grids Counted	2
Analyst:	Anthony F	(eeton		Length	Width	G. O. Area
Date of Analysis	10/23/2018 - 1	10/30/2018	G. O. in microns =	105	105	11025
Initial Weight(g)	0.021	19	G. O. In microns -	105	105	11025
Analysis Type	Post Separation	Talc Analysis	Grid Acceptance	Yes	Average	11025
Scope No.	Accelerating Voltage	100 KV	Loading%	20%	G.O.s Counted	100
2	Screen Magnification	20 KX	Area Exa	mined mm²		1.103

Str.#	Grid Opening E10-A1	Structure	Туре	Length	Width	Ratio	SAED	EDS
NSD	A2	Bundle	Tremolite	7.1	0.40	17.8	-	-
1 NSD	A3	bullule	Tremone	7.1	0.40	17.6	X	×
NSD	A4					-		+
NSD								1
NOL	A5	D d.	T	40.0	4.00	5.0		- 4
3	A7	Fiber	Tremolite	3.1	0.23	13.5	x	×
		20,000	774	100000	0.00			\$4
5		Bundle	Tremolite	3.2	0.50	6.4	X	X
NSD	AB							
6	A9	Bundle	Tremolite	7.3	1.20	6.1	×	×
NSD	A10						0.000	
NSD	B1							1
10 11 NSD								
12 NSD 13 13 NSD 14 15 NSD	1889	MARSO	13-025-003 Tr	emolite Diffra	action @ 50c	m	10/23/	12018
12 NSD 13 NSD 14 15 NSD NSD NSD NSD NSD NSD NSD NSD	1689 G8	M6850	03-026-003 Tr	emolite Diffra	action @ 50c	m	10/23/	2018

